


U.S. Appln. No. 09/844,086  
Response and Amendment dated March 13, 2003  
Reply to Office action of February 20, 2003  
Page 2 of 8

### AMENDMENTS TO THE CLAIMS


This listing of claims will replace all prior versions of claims in the application:

#### LISTING OF CLAIMS:

- 
1. (Currently Amended) A method of evaluating ~~a plurality of~~ at least six solids ~~or mixtures of solids~~ to determine at least one surface property of the solids or mixtures of solids, the method comprising:
    - a) supporting the ~~plurality of solids or mixtures of solids~~ on at least one support;
    - b) contacting the ~~plurality of solids or mixtures of solids~~ with an adsorbate and measuring the radiation emitted, absorbed, or altered by each of the respective solids or mixtures of solids using a detector; and
    - c) determining at least one surface property of each of the solids ~~or mixtures of solids~~ using the radiation measurements.
  2. (Original) The method of Claim 1 wherein the radiation and detector are those used in a technique selected from the group consisting of infrared spectroscopy, ultraviolet spectroscopy, visible spectroscopy, fluorescence, infrared thermography, nuclear magnetic resonance, electron paramagnetic resonance, x-ray adsorption, x-ray photoelectron spectroscopy, Raman spectroscopy, and combinations thereof.
  3. (Currently Amended) The method of Claim 1 further comprising comparing the determined surface properties of ~~identifying the solids to each other or to a standard or mixtures of solids having the value, relative or absolute, of the surface property that are closest to a predetermined value.~~
  4. (Original) The method of Claim 1 wherein the surface property is selected from the group consisting of relative adsorptivity, acid site distribution, acid site energy or acid site strength, acid site strength distribution, base site strength, number of base sites, base site distribution, porosity, pore size, pore density, pore volume, pore shape, surface area, metal dispersion, exposed metal surface area, mobility of metals on the surface of a solid, chemisorb

U.S. Appln. No. 09/844,086  
Response and Amendment dated March 13, 2003  
Reply to Office action of February 20, 2003  
Page 3 of 8

properties, physisorb properties, adsorption selectivity, desorption, ion-exchange capacity, and combinations thereof.

- 
5. (Currently Amended) The method of Claim 1 further comprising contacting the ~~plurality of solids or mixtures of solids~~ with a stream of inert fluid prior to the contacting with an adsorbate.
  6. (Currently Amended) The method of Claim 5 further comprising measuring the radiation emitted, absorbed, or altered by the respective solids ~~or mixtures of solids~~ using the detector during the contacting of the ~~plurality of solids or mixtures of solids~~ with a stream of inert fluid to generate a baseline.
  7. (Original) The method of Claim 1 further comprising correcting the measurements collected during the contacting with an adsorbate by subtracting a baseline.
  8. (Currently Amended) The method of Claim 1 further comprising ramping the temperature of the ~~plurality of solids or mixtures of solids~~ to a predetermined maximum temperature while contacting the ~~plurality of solids or mixtures of solids~~ with a stream of inert fluid prior to contacting with an adsorbate.
  9. (Currently Amended) The method of Claim 8 further comprising measuring the radiation emitted, absorbed, or altered by the respective solids ~~or mixtures of solids~~ using the detector during the contacting of the plurality of solids ~~or mixtures of solids~~ with a stream of inert fluid in order to generate a baseline.
  10. (Currently Amended) The method of Claim 9 further comprising correcting the measurement obtained for each of the solids ~~or mixtures of solids~~ measured during contacting with an adsorbate by subtracting the baseline of Claim 9.
  11. (Currently Amended) The method of Claim 1 wherein the solids ~~or mixtures of solids~~ are selected from the group consisting of inorganic solids and organic solids.

U.S. Appln. No. 09/844,086  
Response and Amendment dated March 13, 2003  
Reply to Office action of February 20, 2003  
Page 4 of 8

12. (Currently Amended) The method of Claim 1 wherein the solids ~~or mixtures of solids~~ are selected from the group consisting of catalysts, adsorbents, polymers, ceramics, metals, and various types of carbons.
13. (Currently Amended) The method of Claim 1 wherein the solids ~~or mixtures of solids~~ are selected from the group consisting of molecular sieves including zeolites, aluminas, silicas, amorphous silica aluminas, zirconias, mixed metal oxides, clays, ion exchange resins, and polymers.
14. (Original) The method of Claim 1 wherein the support comprises a plurality of wells.
15. (Currently Amended) The method of Claim 1 wherein the adsorbate is contacted with the ~~plurality of solids or mixtures of solids~~ in a mode selected from the group consisting of continuous contact or pulsed contact.
16. (Original) The method of Claim 1 wherein the adsorbate is selected from the group consisting of water, pyridine, ammonia, hydrogen, nitrogen, air, helium, argon, fluorine, neon, alkanes, alkynes, alkenes, alcohols, aromatics, thiols, esters, ketones, aldehydes, esters, amides, nitriles, nitroalkanes, amines, alkylamines, quinoline, carbon monoxide, carbon dioxide, and carboxylic acids.
17. (Currently Amended) The method of Claim 1 further characterized in that the contacting the ~~plurality of solids or mixtures of solids~~ is carried out by sequential contact with two or more adsorbates of different sizes with concurrent measurement of the radiation emitted, absorbed, or altered by each of the respective solids ~~or mixtures of solids~~ upon contact with each of the adsorbates using the detector.
18. (Original) The method of Claim 17 further comprising desorbing adsorbed adsorbate between each sequentially contacted adsorbate.
19. (Currently Amended) The method of Claim 1 further comprising predicting the behavior of a solid ~~or mixture of solids~~ based upon the surface property determined.

U.S. Appln. No. 09/844,086  
Response and Amendment dated March 13, 2003  
Reply to Office action of February 20, 2003  
Page 5 of 8

20. (Currently Amended) The method of Claim 1 wherein the ~~plurality of solids or~~  
~~mixtures of solids~~ contains at least twelve solids or at least twelve mixtures of  
solids.

---